Grinding tables

with extraction





Grinding tables with extraction

We produce extraction grinding tables with a work surface size of 1250 mm, 1500 mm, 1750 mm and 2000 mm.

The work surface is equipped with a bottom extraction through holes in worktop. For the most efficient exhaust and protection of worker's health is the table equipped with rear exhaust wall, which exhausts soft dust particles away from the worker's breathing zone. We focus on high-quality table processing parts together with high level of protection of the worker against the harmful effects of dust and, last but not least, our timeless design of products.

Our extraction tables is possible delivered together with local filter unit G&G Micro JET or in a variant with connection to the central dust extraction.



GRINDING TABLES WITH EXTRACTION G&G FILTRATION

Catalog of grinding tables with extraction

G&G GRINDING TABLE 1 000


Worktop size:

1000 x 800 mm

Worktop height:

900 mm

Suction power: 2 500 m³/h




G&G GRINDING TABLE 1 250

Worktop size:

1250 x 800 mm

Worktop height: 900 mm

Suction power: 3 125 m³/h



G&G GRINDING TABLE 1500

Worktop size:


1500 x 800 mm

Worktop height:

900 mm

Suction power:

3 750 m³/h



G&G GRINDING TABLE 1750

Worktop size:


1750 x 800 mm

Worktop height:

900 mm

Suction power:

4 375 m³/h



G&G GRINDING TABLE 2 000

Worktop size:


2000 x 800 mm

Worktop height:

900 mm

Suction power:

5 000 m³/h





G&G filtration, s.r.o.

manufacturing plant Podtureň-Roveň 215 033 01 Liptovský Hrádok Slovenská republika info@ggfiltration.com www.ggfiltration.sk



G&G filtration CZ, s.r.o.

Brno - sales representation for the EU Hviezdoslavova 309/7 627 00 Brno - Slatina Česká republika info@ggf.cz www.ggfiltration.cz

G&G filtration CZ, s.r.o.

Pelhřimov – division Engineering
Příkopy 25
393 01 Pelhřimov
Česká republika
info@ggf.cz
www.ggfiltration.cz/engineering/

