

Welding tables

with extraction



FILTRATION



MADE IN CZECH AND SLOVAK COMPANY



Welding tables with extraction

We produce extraction welding tables with a work surface size of 1250 mm, 1500 mm, 1750 mm and 2000 mm.

The work surface is made from perforated metal plate, which provides bottom extraction of the work surface. For the most efficient capture of welding smoke is the table equipped with a rear angled cover. Due to the height of the rear cover, which by its size obscures the natural lighting, is the welding table equipped with its own, integrated lighting.

We supply the welding table in a variant with local filter G&G Micro JET, or in a variant with choice of connection to the central dust extraction.




Catalog of welding tables with extraction

G&G WELDING TABLE 1 000

Worktop size: 1000 x 800 mm

Worktop height: 900 mm

Suction power: 2 500 m³/h




G&G WELDING TABLE 1 250

Worktop size: 1250 x 800 mm

Worktop height: 900 mm

Suction power: 3 125 m³/h




G&G WELDING TABLE 1 500

Worktop size: 1500 x 800 mm

Worktop height: 900 mm

Suction power: 3 750 m³/h




G&G WELDING TABLE 1 750

Worktop size: 1750 x 800 mm

Worktop height: 900 mm

Suction power: 4 375 m³/h




G&G WELDING TABLE 2 000

Worktop size: 2000 x 800 mm

Worktop height: 900 mm

Suction power: 5 000 m³/h





G&G filtration, s.r.o.

manufacturing plant
Podtureň-Roveň 215
033 01 Liptovský Hrádok
Slovenská republika
info@ggfiltration.com
www.ggfiltration.sk



G&G filtration CZ, s.r.o.

Brno - sales representation for the EU
Hviezdoslavova 309/7
627 00 Brno - Slatina
Česká republika
info@ggf.cz
www.ggfiltration.cz



G&G filtration CZ, s.r.o.

Pelhřimov – division Engineering
Příkopy 25
393 01 Pelhřimov
Česká republika
info@ggf.cz
www.ggfiltration.cz/engineering/

